



BALUSTRADE

STEPS

PAVERS

POOL COPING

POOL  
AND  
PATIO

---

---

**STONE LEGENDS**

---

---




Send  
Us  
Your  
Plans!

Take the easy  
way out!

Get a complete  
estimate for your  
project that includes  
shipping to your  
job site!


[www.stonelegends.com](http://www.stonelegends.com)

Visit  
Us  
On  
The  
Web!



Company  
History

FAQ's




**STONE LEGENDS**

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)





## Pool and Patio Legend

ONLY THE  
BEST CRAFTSMEN...



CAN PRODUCE  
QUALITY CUSTOM  
PRODUCTS EVERYDAY!

**STONE LEGENDS**



301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)

**STONE LEGENDS**

Do  
It  
The  
Easy  
Way!

Our Stone Experts can help you to make the perfect choice for your exterior needs.

Send us your plans for a complete cost estimate.

In return you will get a line item bid crossed-referenced to a graphic representation of your plans.

Send Us  
Your Plans!

**STONE LEGENDS**

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)



Organization Guide

Type Description  
Primary View  
Surname / Profile  
Dimension

Listed below are available catalog options as shown in this chapter. Refer to page 6 for a complete list of available TypeDescriptions, PrimaryViews and Modifiers.


| Product Groups | Type Descriptions | Primary Views   | Modifiers   |
|----------------|-------------------|---|---|
| Balustrade     | Balustrade        | Grade<br>Screening<br>Panel<br>SpecialShape<br>Radius | 45Degrees<br>90Degrees<br>Baluster<br>Base<br>Circular<br>Coped<br>EasingUp<br>FinishedEnd<br>NewelPier<br>Ornament<br>Plinth<br>Radius<br>Straight<br>Volute |

Pricing Legend

Balustrade costs are calculated based on an **Linear Foot Basis**, except that newel piers are sold on an **Each Unit Basis**.

Refer to the **Stone Legends Pricing Legend**, located as an insert at the back of the catalog, for more information on calculating stone costs for catalog units.

- XWidth of a unit. A control dimension.
- ZMaximum depth of a unit. A control dimension.
- ZZDepth of a unit at base.
- YHeight of a unit. A control dimension.



Early Roman architects, inspired by refined Greek forms, drew on Etruscan and Asian designs for semicircular arches, vaults, and domes.

After the second century, the Romans added the use of cast stone to these elements to replace cut stone construction and to create revolutionary structural forms.

Centuries of vast building enterprises brought forth the combined use of arches and columns for structural elements and balustrade for decoration.


Utility and splendor were obvious Roman ideals.

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com•sales@stonelegends.com

STONE LEGENDS

# Balustrade Legend

## Balustrade Systems



Typical Balustrade Unit with Standard Newel Pier

Balustrade Units are sold by the linear foot at the cost factors shown in the tables. The pricing of the balustrade unit includes: one foot of base rail, one baluster and one foot of hand rail. Hand and base rails are available in straights, finished ends, corners, or stock radius parts at no additional charge. Custom radii are available at a one-time set up charge plus the linear foot price. Parts such as corners, ends, and radii need to be specified on your drawings or at the time of the order.


Some areas require that the spacing between balusters meet certain conditions. Ball Code information is shown on a following page. Spacing requirements to meet 4" and 6" ball codes are shown in the Balustrade Part Dimensional Table.

Standard Newel Piers project above the balustrade hand rail and are typically 12" square. Choose 360°, 270°, 180°, or 90° Newel Piers, as required by your design. Optional Pass-Thru Newel Piers are shorter than the standard piers (the same height as the baluster), but still 12" square. The hand rail aligns with the top of the newel cap. In Line Newel Piers are the same height as the balusters and the same width as the hand and base rails. The hand and base rails continue above and below the In Line Newel instead of using a separate cap and base.

## Straight Stairs

A stair, derived from the Anglo-Saxon word Staeger meaning ascent, is referred to as a staircase when it includes some, if not all, of the components contained in this catalog. Staircase Units consist of the same parts as the Balustrade Units, with the addition of baluster with lugs that extend the baluster to meet stair pitch and rail height requirements. Straight staircases are available in all of our standard Balustrade Unit styles, excluding screening, and are priced in the tables on the following pages.

Staircase Units are priced by the horizontal linear foot. Stone Legends provides sufficient hand and base rail to accommodate the slope specified. Please see the tables with each balustrade style. Tread and risers are priced separately. In locations that have ball codes, the stairs are subject to ball codes also. See following page.



Above, the base rail has been installed on a flat curb angled to match the rise of the stairs. Baluster spacing is 12" on center unless local codes or personal taste dictate otherwise.

# STONE LEGENDS

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

# Balustrade Legend


## Balustrade Unit Styles

Balustrade Units are dimensionally coordinated designs composed of a Balustrade and a Newel Pier. Balustrade Units consist of a base rail, a baluster, and a hand rail. Newel Pier Units consist of a base, a newel shaft, and a cap.


Unit drawings for reference to chart.  
(Drawings are not to scale)



Drawing 1:  
Belleville1 Extrados1  
Chamfer1 with Matching  
Newel Pier



Drawing 2:  
Florentine1 Benilli1  
Verona1 Balustrade  
with Matching Newel Pier



Drawing 3:  
Jefferson1 Connolly1  
Cove1 Balustrade  
with Matching Newel Pier



Drawing 4:  
Kendal1 Extrados1  
Chamfer1 Balustrade  
with Matching Newel Pier



Drawing 5:  
Kinnard1 Connolly1  
Cove1 Balustrade  
with Matching Newel Pier



Drawing 6:  
Noble1 Binelli2 Verona2  
Balustrade  
with Matching Newel Pier



Drawing 7:  
Oakley1 Ogle3 Chamfer3  
Balustrade  
with Matching Newel Pier



Drawing 8:  
Otterwood1 Extrados1  
Chamfer1 Balustrade  
with Matching Newel Pier



Drawing 9:  
Otterwood2 Extrados1  
Chamfer1 Balustrade  
with Matching Newel Pier



Drawing 10:  
Otwell1 Duran1 Cole1  
Balustrade  
with Matching Newel Pier

Unit Components Table

|            | Balustrade Parts |          |           |        |           |            |          |          |       |       |           |         |             |             | Newel Pier Parts |          |          |        |         |            |            |         |          |          |       |              |         |         |          |           |        |           |        |         |          |       |
|------------|------------------|----------|-----------|--------|-----------|------------|----------|----------|-------|-------|-----------|---------|-------------|-------------|------------------|----------|----------|--------|---------|------------|------------|---------|----------|----------|-------|--------------|---------|---------|----------|-----------|--------|-----------|--------|---------|----------|-------|
| Names      | Hand rails       |          |           |        |           | Base rails |          |          |       |       | Balusters |         |             |             |                  | Bases    |          |        |         |            | Caps       |         |          |          |       | Newel Shafts |         |         |          |           |        |           |        |         |          |       |
|            | Binelli1         | Binelli2 | Connelly1 | Duran1 | Extrados1 | Ogle3      | Chamfer1 | Chamfer3 | Cole1 | Cove1 | Verona1   | Verona2 | Belleville1 | Florentine1 | Jefferson1       | Kendall1 | Kinnard1 | Noble1 | Oakley1 | Otterwood1 | Otterwood2 | Otwell1 | Chamfer1 | Chamfer3 | Cole1 | Cove1        | Verona1 | Verona2 | Binelli1 | Connelly1 | Duran1 | Extrados1 | Ogle1  | Caprice | Carriage | Carol |
| Drawing No |                  |          |           |        |           |            |          |          |       |       |           |         |             |             |                  |          |          |        |         |            |            |         |          |          |       |              |         |         |          |           |        |           |        |         |          |       |
| Drawing 1  |                  |          |           |        | •         |            | •        |          |       |       |           |         | •           |             |                  |          |          |        |         |            |            |         | •        |          |       |              |         |         |          |           |        |           |        | 27.5"   |          |       |
| Drawing 2  | •                |          |           |        |           |            |          |          |       |       | •         |         |             | •           |                  |          |          |        |         |            |            |         |          |          |       |              | •       |         |          |           |        |           | 33.25" |         |          |       |
| Drawing 3  |                  |          | •         |        |           |            |          |          |       | •     |           |         |             |             | •                |          |          |        |         |            |            |         |          |          |       | •            |         |         |          |           |        |           |        |         | 27.5"    |       |
| Drawing 4  |                  |          |           |        | •         |            | •        |          |       |       |           |         |             |             |                  | •        |          |        |         |            |            |         | •        |          |       |              |         |         |          |           |        |           |        |         | 32"      |       |
| Drawing 5  |                  |          | •         |        |           |            |          |          |       | •     |           |         |             |             |                  |          | •        |        |         |            |            |         |          |          |       | •            |         |         |          |           |        |           |        |         | 38"      |       |
| Drawing 6  |                  | •        |           |        |           |            |          |          |       |       |           | •       |             |             |                  |          |          | •      |         |            |            |         |          |          |       |              |         | •       |          |           |        |           |        | 32"     |          |       |
| Drawing 7  |                  |          |           |        |           | •          |          | •        |       |       |           |         |             |             |                  |          |          |        | •       |            |            |         |          | •        |       |              |         |         |          |           |        |           |        |         | 32"      |       |
| Drawing 8  |                  |          |           |        | •         |            | •        |          |       |       |           |         |             |             |                  |          |          |        |         | •          |            |         | •        |          |       |              |         |         |          |           |        |           |        |         | 27.5"    |       |
| Drawing 9  |                  |          |           |        | •         |            | •        |          |       |       |           |         |             |             |                  |          |          |        |         |            | •          |         | •        |          |       |              |         |         |          |           |        |           |        |         | 32"      |       |
| Drawing 10 |                  |          |           | •      |           |            |          |          | •     |       |           |         |             |             |                  |          |          |        |         |            |            |         |          | •        |       | •            |         |         |          |           | •      |           |        |         |          | 31"   |

Dots indicate the parts by profile name that make up the Standard Unit Styles. Newel shaft heights for Standard Newel piers are noted at far right.

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

# STONE LEGENDS



# Balustrade Legend

## Ball Codes




The purpose of ball codes is to prevent falling accidents. The 4" or 6" delineator refers to the "maximum diameter" of a hypothetical ball that could be used to measure the maximum gap between balusters. A ball is used in order to mimic the size of a small child's head. Theoretically, if a child's head can pass through an opening, a chance exists that the child's body can pass through also. If a ball will not fit through the widest gap, then a child's head should not be able to fit through the gap either. Though a falling hazard does not exist, it is recommended to use a ball code installation around pool areas where drowning hazards exist.

Shown here is a pictorial representation of the two primary ball codes: 4" and 6", compared with Stone Legends standard spacing of 12" on center. The balustrade unit chosen for the illustrations is Otterwood1 Extrados1 Chamfer1. The actual spacing to meet ball code requirements for each balustrade unit is shown in a table.


Stone Legends is not responsible for installation of any kind and will not determine baluster spacing for you. Check local building codes for all Ball Code requirements pertaining to your specific installations.



Above is a photo of Otterwood1 Extrados1 Chamfer1 Balustrade set to meet a 6" ball code. Compare with the illustration below.



At left is a photo of Otterwood1 Extrados1 Chamfer1 Balustrade set on 12" centers. Compare with the illustration of standard installation above.



# STONE LEGENDS

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com





# Balustrade Legend

## Helical Staircases

The Helical Staircase provides an elegance not found in other types of entryways due to its symmetry and complexity. Its birth was influenced militarily by the need for a defensible position. This style of stairs was designed originally to accommodate either right- or left-handed swordsmen for the protection of one's castle.

Illustrated at right is a Generic Helical Staircase Unit. Standard Helical Units are cataloged on the following pages. Custom units can be designed from any of our standard balustrade units. Or you can mix and match the profiles to suit your design.

Some of the helical stair units shown in this catalog come with finished ends at the base of the run (see the generic drawing for a finished end). Others come with newel piers at the base of the stairs. Newel piers can be added to a unit with finished ends for just the cost of the newel pier chosen. Making a helical unit that ends with newels into a finished end unit is more complicated. New tooling must be made for the finished end. Please discuss the requirements with one of our sales technicians.



## Screening Unit Styles

Inspired primarily by Mediterranean designs, our Screen Units offer a unique look to any installation. Stone screening is used in the same ways as balustrade, except that stairs are not available. Screening is more difficult than standard balustrade to fabricate and to install, so it is not seen as often. The main feature, the repeating pattern, makes fitting the screen an exacting task. Screen Units are available in straight runs only and must use newel piers for corners and ends. Stone Legends has special technical sheets with exact dimensions and other necessary information for a design-to-fit system.



*Screening gives an air of distinction to any terrace or patio. At left is the Talley1 screen with custom hand rail and base rail. Above, is the Waverley Almeria, UnitID 7, with matching pass-thru newel piers.*

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

# STONE LEGENDS

# Balustrade Legend

Balustrade Components Dimensional Table

| Dimensions  | Parts (listed by profile shape) |          |           |        |           |           |       |            |          |       |       |       |         |         |             |             |            |         |          |        |
|---|---------------------------------|----------|-----------|--------|-----------|-----------|-------|------------|----------|-------|-------|-------|---------|---------|-------------|-------------|------------|---------|----------|--------|
|   | Hand rails                      |          |           |        |           |           |       | Base rails |          |       |       |       |         |         | Balusters   |             |            |         |          |        |
|   | Binelli1                        | Binelli2 | Connelly1 | Duran1 | Extrados1 | Extrados2 | Ogle3 | Chamfer1   | Chamfer3 | Cole1 | Cove1 | Cove2 | Verona1 | Verona2 | Belleville1 | Florentine1 | Jefferson1 | Kendal1 | Kinnard1 | Noble1 |
| X "   | 9                               | 7 1/4    | 4         | 4      | 4         | 3         | 4 1/2 | 4          | 5 1/8    | 5 1/2 | 4     | 4 7/8 | 5 3/4   | 4 5/8   | 7 1/8       | 7 1/2       | 8          | 5 1/2   | 7 1/2    | 6      |
| Y Typical "   | all 36                          |          |           |        |           |           |       | all 36     |          |       |       |       |         |         | 23 1/2      | 23          | 23         | 26 7/8  | 33 1/4   | 23     |
| Z "   | 11 3/4                          | 8 1/2    | 10 1/2    | 9      | 9 1/2     | 6 3/4     | 8 7/8 | 9          | 7 1/2    | 10    | 7 1/2 | 6 1/2 | 11      | 8 1/4   | 7 1/8       | 7 1/2       | 8 1/8      | 5 1/2   | 7 1/2    | 6      |
| ZZ "  | 7                               | 5        | 7 1/2     | 7 1/2  | 7         | 5         | 7     | 7          | 6        | 7 1/8 | 9 1/2 | 5     | 7       | 5       | 6 3/4       | 7           | 7          | 6 1/2   | 7        | 5      |
| Wt/piece #  | 170                             | 98       | 96        | 87     | 93        | 48        | 88    | 96         | 95       | 147   | 102   | 28    | 140     | 80      | 52          | 58          | 62         | 48      | 73       | 47     |
| Cost Factor/lf  | 1050                            | 817      | 600       | 500    | 550       | 400       | 525   | 450        | 440      | 750   | 500   | 400   | 900     | 733     | 2295        | 4650        | 2550       | 3100    | 3100     | 2850   |
| Baluster spacing on center to meet 4" Ball Code requirement (in inches) |                                 |          |           |        |           |           |       |            |          |       |       |       |         |         | 7 1/2       | 7 1/2       | N/A        | 7 1/2   | 7 3/4    | 7 1/4  |
| Baluster spacing on center to meet 6" Ball Code requirement (in inches) |                                 |          |           |        |           |           |       |            |          |       |       |       |         |         | 9 1/2       | 9 1/2       | 9 3/4      | 9 3/8   | 9 3/4    | 9 1/4  |


## Stock Radii Available (to centerline) (\$500 setup for custom radii)

|               |  |   |   |  |   |  |   |  |   |  |   |  |   |  |   |  |   |  |   |  |
|---------------|--|---|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|
| 3' ft (36")   |  | • | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  |
| 4' ft (48")   |  | • | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  |
| 5' ft (60")   |  |   |   |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  |
| 6' ft (72")   |  |   |   |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  |
| 9' ft (108")  |  |   |   |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  |
| 10' ft (120") |  | • | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  |
| 12' ft (144") |  |   |   |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  |
| 14' ft (168") |  |   |   |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  |
| 16' ft (192") |  |   |   |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  |
| 20' ft (240") |  | • | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  | • |  |


Note: Balusters with lugs: add CF of 500 to the Cost Factors noted above. Optional half balusters may be purchased separately for the same cost as the standard baluster. Weights and sizes are divided by two. The X and Z dimensions are the maximum width across the main body of a baluster. The ZZ dimension is the maximum size top and bottom for matching up to hand and base rail ZZ dimensions when customizing.

Below is a proportional chart designed to help visualize the size relationships of the balusters. All balusters are square top and bottom.

## Baluster Photos (not to same scale)



## Comparative Baluster Heights



# STONE LEGENDS

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com




Balustrade Legend

Balustrade Profiles  
Listed by Parts

The following pages illustrate dimensional information, including weight and cost factors for individual parts. You would need this information to order parts for customizing a standard unit for a particular situation, or to mix and match pieces to suit your design. Also noted in the table on the following page are the baluster spacing requirements to meet 4" and 6" ball codes.

Important Note: In using these lists, please pay special attention to the ZZ, or setting bed, dimension of the base and hand rails in relation to the ZZ dimension of the balusters. Use the drawing at right to determine the setting bed or ZZ of each hand and base rail. The baluster must be the same size or smaller than the rails at the setting bed for proper fit and construction. To determine the finished overall heights of mixed parts, add 1 1/8" total for mortar joints between stones. For balusters with lugs, add 7 inches to charted dimension.



Hand Rails

Profiles and samples of straight rail

Binelli

Available in two sizes. See chart.



Binelli  
Hand Rail

Connelly



Connelly  
Hand Rail

Duran



Duran  
Hand Rail


Extrados

Available in two sizes. See chart.



Extrados  
Hand Rail

Ogle




Ogle  
Hand Rail

Base Rails

Profiles and samples of straight rail


Chamfer

Available in two sizes. See chart.



Chamfer  
Base Rail


Cole



Cole  
Base Rail

Cove


Available in two sizes. See chart.



Cove  
Base Rail

Verona

Available in two sizes. See chart.



Verona  
Base Rail

Stock radii are noted to centerline  
of hand rail and base rail (typical).

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

STONE LEGENDS

# Balustrade Legend

## Newel Pier Parts



Standard Newel Piers project above the balustrade hand rail and are typically 12" square. Choose 360°, 270°, 180°, or 90° Newel Piers, as required by your design. Optional Pass Through Newel Piers are shorter than the standard piers (the same height as the baluster), but still 12" square. The hand rail aligns with the top of the newel cap. In Line Newel Piers are the same height as the balusters and the same width as the hand and base rails. The hand and base rails continue above and below the In Line Newel instead of using a separate cap and base.

### Newel Cap Profiles

Cap photos show 360° parts

### Newel Base Profiles

Base photos show 270° Finished Ends.



#### Binelli

Not available as pass-thru.



#### Connelly



#### Duran



#### Extrados

Available in two sizes.



#### Ogle



#### Chamfer



#### Cole




#### Cove

Available in two sizes.



#### Verona

Available in two sizes.



### Component Dimensional Table

#### Dimensions

Y & Z "

X "

ZZ "

Wt/piece # (360, 270, 180, 90)

Wt/piece # (45)

Wt/piece # (half)

CF/piece (Std. connections)

CF/piece (45 only)

| Standard                       |                               |                                |                                |                                |                               |          |                                |                                |      |                                |                               |                                | Optional                      |                                |                                |                                |                               |
|--------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------------------|-------------------------------|----------|--------------------------------|--------------------------------|------|--------------------------------|-------------------------------|--------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------------------|-------------------------------|
| Caps                           |                               |                                |                                |                                |                               | Bases    |                                |                                |      |                                |                               |                                | Pass Thru Caps                |                                |                                |                                |                               |
| Binelli                        | Connelly                      | Duran                          | Extrados                       | Extrados2                      | Ogle                          | Chamfer1 | Chamfer3                       | Cole                           | Cove | Cove2                          | Veronal                       | Verona2                        | Connelly                      | Duran                          | Extrados                       | Extrados2                      | Ogle                          |
| 15 <sup>1</sup> / <sub>2</sub> | 15                            | 14                             | 14 <sup>1</sup> / <sub>2</sub> | 13 <sup>3</sup> / <sub>4</sub> | 14                            | 14       | 13 <sup>1</sup> / <sub>2</sub> | 15                             | 14   | 13 <sup>1</sup> / <sub>2</sub> | 16                            | 15 <sup>1</sup> / <sub>4</sub> | 15                            | 14                             | 14 <sup>1</sup> / <sub>2</sub> | 13 <sup>3</sup> / <sub>4</sub> | 14                            |
| 7                              | 4 <sup>1</sup> / <sub>2</sub> | 4 <sup>1</sup> / <sub>4</sub>  | 4 <sup>1</sup> / <sub>2</sub>  | 3 <sup>1</sup> / <sub>2</sub>  | 5 <sup>1</sup> / <sub>2</sub> | 4        | 5 <sup>1</sup> / <sub>8</sub>  | 5 <sup>1</sup> / <sub>2</sub>  | 4    | 4 <sup>7</sup> / <sub>8</sub>  | 5 <sup>3</sup> / <sub>4</sub> | 4 <sup>5</sup> / <sub>8</sub>  | 4 <sup>1</sup> / <sub>2</sub> | 4 <sup>1</sup> / <sub>4</sub>  | 4 <sup>1</sup> / <sub>2</sub>  | 3 <sup>1</sup> / <sub>2</sub>  | 5 <sup>1</sup> / <sub>2</sub> |
| 12                             | 12                            | 11 <sup>1</sup> / <sub>2</sub> | 12                             | 12                             | 12                            | 12       | 12                             | 11 <sup>1</sup> / <sub>2</sub> | 12   | 12                             | 12                            | 12                             | 12                            | 11 <sup>1</sup> / <sub>2</sub> | 12                             | 12                             | 12                            |
| 85                             | 60                            | 50                             | 60                             | 46                             | 74                            | 65       | 69                             | 93                             | 65   | 68                             | 95                            | 80                             | 60                            | 50                             | 60                             | 46                             | 74                            |
| 155                            | 107                           | 88                             | 107                            | 85                             | 125                           | 104      | 111                            | 158                            | 104  | 110                            | 160                           | 128                            | 107                           | 88                             | 107                            | 85                             | 125                           |
| 45                             | 30                            | 25                             | 30                             | 23                             | 37                            | 33       | 35                             | 47                             | 33   | 34                             | 48                            | 40                             | 30                            | 25                             | 30                             | 23                             | 37                            |
| 2750                           | 1650                          | 1500                           | 1500                           | 1500                           | 1600                          | 2500     | 2500                           | 1600                           | 2500 | 2500                           | 3700                          | 3400                           | 3000                          | 2700                           | 2700                           | 2700                           | 1500                          |
| 4700                           | 2650                          | 2625                           | 2350                           | 2350                           | 2650                          | 4400     | 4400                           | 2650                           | 4400 | 4400                           | 5700                          | 5400                           | 5250                          | 4700                           | 4700                           | 4700                           | 3000                          |


# STONE LEGENDS

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com



## Standard Newels

Below are our three standard newel pier profiles shown with different caps and bases. All standard newels are 12" x 12". Only the heights vary to complement the Balustrade style. Therefore, any cap or base may be used with any newel, making customizing easy. All parts are sold separately, as well as part of the units. Locations: We suggest locating Newel Piers at all corners, top and bottoms of stairs, end of railings such as openings or against the structure, and at 15-20 feet on center for long straight runs.





**Caprice Newel with Binelli1 cap and Verona1 base.**



**Carriage Newel with Extradors1 cap and Chamfer1 base.**



**Coach Newel with Ogle1 cap and Cove1 base.**



Use the drawing above left of dimensional fields to determine the component sizes when designing your newel pier configuration. The chart above shows panel locations on standard newel pier turns.

## Optional Pass-Thru Newels




An Optional Pass-Thru Newel Pier is shown in the photo above. For a pass-thru system, the height of the newel must be equal to the height of the chosen baluster profile, but the newel is still 12" x 12". This option requires a special pass-thru newel cap. See the Balustrade unit pages for cost factors and weight. Pass-thru newel caps are not available in the Binelli style.


## Custom Newel Options

Standard newel parts can be combined in many ways to achieve different looks. And, Stone Legends offers custom newels to meet your exacting specifications. Colby Panel Newels, below left, consist of panel veneers made to any size required. The panels are attached to your substructure to make the newel pier. The corners are mitered. Priced according to your specifications.

For In-Line Newels, below right, the newel height must be equal to the baluster height. The depth (or ZZ) must match the "ZZ" of the hand and base rails. In-Line Newels will be priced according to size.




**Colby Panel Newel**



301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

# STONE LEGENDS





Otterwood2 Extrados1 Chamfer1 Balustrade (UnitID 12923), shown here with Carriage1 Extrados1 Chamfer1 pass-thru newel piers (Unit ID 9244), is the perfect choice for a classical look and feel.

Balustrade by  
**STONE LEGENDS**




# Balustrade - Otterwood



*Otterwood1 Extrados1 Chamfer1 Balustrade, UnitID 246. Shown with Carriage1 Extrados1 Chamfer1 standard Newel Piers, UnitID 1380.*



*Close up of Otterwood1 Extrados1 Chamfer1 balustrade installed.*



| Type Description             | Primary View | View Modifiers | Surname          |     |         |                |           |
|------------------------------|--------------|----------------|------------------|-----|---------|----------------|-----------|
| Balustrade                   | Grade        |                | <b>Otterwood</b> |     |         |                |           |
|                              |              | X              | Z                | Y   | Unit ID | Cost Factor/Lf | Weight/Lf |
| Otterwood1 Extrados1Chamfer1 |              | 32"            | 9 1/2"           | 12" | 246     | 3100           | 125       |
| Otterwood2 Extrados1Chamfer1 |              | 36 5/8"        | 9 1/2"           | 12" | 12923   | 3100           | 150       |

| Type Description              | Primary View | View Modifiers | Surname         |         |         |                |           |
|-------------------------------|--------------|----------------|-----------------|---------|---------|----------------|-----------|
| Newel Pier                    | Standard     |                | <b>Carriage</b> |         |         |                |           |
|                               |              | X              | Z               | Y       | Unit ID | Cost Factor/Ea | Weight/Ea |
| Carriage1 Extrados1 Chamfer1  |              | 12"            | 12"             | 37 1/8" | 1380    | 12500          | 435       |
| Carriage1A Extrados1 Chamfer1 |              | 12"            | 12"             | 41 5/8" | 1381    | 12500          | 475       |

| Type Description              | Primary View | View Modifiers | Surname         |         |         |                |           |
|-------------------------------|--------------|----------------|-----------------|---------|---------|----------------|-----------|
| Newel Pier                    | Pass-Thru    |                | <b>Carriage</b> |         |         |                |           |
|                               |              | X              | Z               | Y       | Unit ID | Cost Factor/Ea | Weight/Ea |
| Carriage1B Extrados1 Chamfer1 |              | 12"            | 12"             | 32 1/8" | 9243    | 13450          | 390       |
| Carriage1 Extrados1 Chamfer1  |              | 12"            | 12"             | 37 1/8" | 9244    | 15400          | 425       |

| Type Description              | Primary View | View Modifiers | Surname         |         |         |                |           |
|-------------------------------|--------------|----------------|-----------------|---------|---------|----------------|-----------|
| Newel Pier                    | Standard     | 45Degree       | <b>Carriage</b> |         |         |                |           |
|                               |              | X              | Z               | Y       | Unit ID | Cost Factor/Ea | Weight/Ea |
| Carriage1 Extrados1 Chamfer1  |              | 12"            | 12"             | 37 1/8" | 9723    | 16250          | 728       |
| Carriage1A Extrados1 Chamfer1 |              | 12"            | 12"             | 41 5/8" | 346     | 16250          | 815       |

301 Pleasant Drive • Dallas, TX 75217  
 (800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)

# STONE LEGENDS



Otterwood2A Extrados1  
Chamfer1 Straight Stair  
Balustrade (Unit ID 9734),  
shown here with custom inline  
newel piers, add an impressive  
visual effect to the terrace stair.

Balustrade by  
STONE LEGENDS



# Balustrade - Otterwood




Otterwood1 Baluster Unit ID 9193



Otterwood1 Extrados1 Chamfer1 Balustrade

Unit ID 246



Type Description  
Stair

Primary View  
Straight

View Modifiers

Surname  
Otterwood

|             |                   | X                                | Z                               | Y   | Unit ID | Cost Factor/Lf | Weight/Lf |
|-------------|-------------------|----------------------------------|---------------------------------|-----|---------|----------------|-----------|
| Otterwood1A | Extrados1Chamfer1 | 32 <sup>1</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 9734    | 4100           | 155       |
| Otterwood2A | Extrados1Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 9735    | 4100           | 180       |

Type Description  
Balustrade

Primary View  
Grade

View Modifiers  
Radius

Surname  
Otterwood

These units represent stock flat radius tooling available without additional charge. The radius is measured to the centerline of the profile. No finished ends or turns available.

Any other radius would require custom tooling.

|            |                    | X                                | Z                               | Y   | C   | R    | Unit ID | Cost Factor/Lf | Weight/Lf |
|------------|--------------------|----------------------------------|---------------------------------|-----|-----|------|---------|----------------|-----------|
| Otterwood1 | Extrados1 Chamfer1 | 32"                              | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 36"  | 12896   | 3100           | 125       |
| Otterwood1 | Extrados1 Chamfer1 | 32"                              | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 48"  | 12897   | 3100           | 125       |
| Otterwood1 | Extrados1 Chamfer1 | 32"                              | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 60"  | 12898   | 3100           | 125       |
| Otterwood1 | Extrados1 Chamfer1 | 32"                              | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 72"  | 12899   | 3100           | 125       |
| Otterwood1 | Extrados1 Chamfer1 | 32"                              | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 108" | 12900   | 3100           | 125       |
| Otterwood1 | Extrados1 Chamfer1 | 32"                              | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 120" | 12901   | 3100           | 125       |
| Otterwood1 | Extrados1 Chamfer1 | 32"                              | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 144" | 12902   | 3100           | 125       |
| Otterwood1 | Extrados1 Chamfer1 | 32"                              | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 168" | 12903   | 3100           | 125       |
| Otterwood1 | Extrados1 Chamfer1 | 32"                              | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 192" | 12904   | 3100           | 125       |
| Otterwood1 | Extrados1 Chamfer1 | 32"                              | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 240" | 12905   | 3100           | 125       |
| Otterwood2 | Extrados1 Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 36"  | 12927   | 3100           | 150       |
| Otterwood2 | Extrados1 Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 48"  | 12928   | 3100           | 150       |
| Otterwood2 | Extrados1 Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 60"  | 12929   | 3100           | 150       |
| Otterwood2 | Extrados1 Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 72"  | 12930   | 3100           | 150       |
| Otterwood2 | Extrados1 Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 108" | 12931   | 3100           | 150       |
| Otterwood2 | Extrados1 Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 120" | 12932   | 3100           | 150       |
| Otterwood2 | Extrados1 Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 144" | 12933   | 3100           | 150       |
| Otterwood2 | Extrados1 Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 168" | 12934   | 3100           | 150       |
| Otterwood2 | Extrados1 Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 192" | 12935   | 3100           | 150       |
| Otterwood2 | Extrados1 Chamfer1 | 36 <sup>5</sup> / <sub>8</sub> " | 9 <sup>1</sup> / <sub>2</sub> " | 12" | 36" | 240" | 12936   | 3100           | 150       |

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com•sales@stonelegends.com

## STONE LEGENDS






Kendal1 Extrados1 Chamfer1 Grade  
Balustrade (Unit ID 250), shown with  
optional Pass-Thru Carriage1A Extrados1  
Chamfer1 Newel Piers (Unit ID 9248)  
enhances this terrace view.

Balustrade by

**STONE LEGENDS**



# Balustrade - Kendal



|                                |                               |                             |                     |         |         |                |           |
|--------------------------------|-------------------------------|-----------------------------|---------------------|---------|---------|----------------|-----------|
| Type Description<br>Balustrade | Primary View<br>Grade         | View Modifiers              | Surname<br>Kendal   |         |         |                |           |
|                                |                               | X                           | Z                   | Y       | Unit ID | Cost Factor/Lf | Weight/Lf |
|                                | Kendal1 Extrados1 Chamfer1    | 36"                         | 9 1/2"              | 12"     | 250     | 3400           | 135       |
| Type Description<br>Stair      | Primary View<br>Straight      | View Modifiers              | Surname<br>Kendal   |         |         |                |           |
|                                |                               | X                           | Z                   | Y       | Unit ID | Cost Factor/Lf | Weight/Lf |
|                                | Kendal1A Extrados1 Chamfer1   | 36"                         | 9 1/2"              | 12"     | 9738    | 4400           | 165       |
| Type Description<br>NewelPier  | Primary View<br>Standard      | View Modifiers              | Surname<br>Carriage |         |         |                |           |
|                                |                               | X                           | Z                   | Y       | Unit ID | Cost Factor/Ea | Weight/Ea |
|                                | Carriage1 Extrados1 Chamfer1  | 12"                         | 12"                 | 41 5/8" | 1381    | 12500          | 475       |
| Type Description<br>NewelPier  | Primary View<br>Pass-Thru     | View Modifiers              | Surname<br>Carriage |         |         |                |           |
|                                |                               | X                           | Z                   | Y       | Unit ID | Cost Factor/Ea | Weight/Ea |
|                                | Carriage1D Extrados1 Chamfer1 | 12"                         | 12"                 | 36 1/8" | 9248    | 15600          | 425       |
| Type Description<br>NewelPier  | Primary View<br>Standard      | View Modifiers<br>45 Degree | Surname<br>Carriage |         |         |                |           |
|                                |                               | X                           | Z                   | Y       | Unit ID | Cost Factor/Ea | Weight/Ea |
|                                | Carriage1 Extrados1 Chamfer1  | 12"                         | 12"                 | 41 5/8" | 9723    | 16250          | 728       |

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

## STONE LEGENDS





The Otwell1 Duran1 Cole1 Grade Balustrade (Unit ID 225), shown with custom radius, custom inline newel piers and half baluster sits atop the brick retaining wall framing the observation terrace.

Balustrade by  
**STONE LEGENDS**



# Balustrade - Otwell



| Type Description | Primary View          | View Modifiers          | Surname | Unit ID | Cost Factor/Lf | Weight/Lf |
|------------------|-----------------------|-------------------------|---------|---------|----------------|-----------|
| Balustrade       | Grade                 |                         | Otwell  |         |                |           |
|                  |                       | X Z Y                   |         | Unit ID | Cost Factor/Lf | Weight/Lf |
|                  | Otwell1 Duran1 Cole1  | 36" 10" 12"             |         | 225     | 3400           | 135       |
| Type Description | Primary View          | View Modifiers          | Surname | Unit ID | Cost Factor/Lf | Weight/Lf |
| Stair            | Straight              |                         | Otwell  |         |                |           |
|                  |                       | X Z Y                   |         | Unit ID | Cost Factor/Lf | Weight/Lf |
|                  | Otwell1A Duran1 Cole1 | 36" 10" 12"             |         | 16549   | 4400           | 165       |
| Type Description | Primary View          | View Modifiers          | Surname | Unit ID | Cost Factor/Ea | Weight/Ea |
| NewelPier        | Standard              |                         | Carol   |         |                |           |
|                  |                       | X Z Y                   |         | Unit ID | Cost Factor/Ea | Weight/Ea |
|                  | Carol1 Duran1 Cole1   | 11 1/2" 11 1/2" 41 5/8" |         | 16550   | 15000          | 475       |
| Type Description | Primary View          | View Modifiers          | Surname | Unit ID | Cost Factor/Ea | Weight/Ea |
| NewelPier        | Pass-Thru             |                         | Carol   |         |                |           |
|                  |                       | X Z Y                   |         | Unit ID | Cost Factor/Ea | Weight/Ea |
|                  | Carol1A Duran1 Cole1  | 11 1/2" 11 1/2" 36"     |         | 16551   | 15600          | 425       |
| Type Description | Primary View          | View Modifiers          | Surname | Unit ID | Cost Factor/Ea | Weight/Ea |
| NewelPier        | Standard              | 45 Degree               | Carol   |         |                |           |
|                  |                       | X Z Y                   |         | Unit ID | Cost Factor/Ea | Weight/Ea |
|                  | Carol1 Duran1 Cole1   | 11 1/2" 11 1/2" 41 5/8" |         | 16552   | 19500          | 831       |

301 Pleasant Drive • Dallas, TX 75217  
 (800) 398-1199 • FAX (214) 398-1293  
 www.stonelegends.com • sales@stonelegends.com

## STONE LEGENDS

The balcony is accented with the  
Jefferson1 Connelly1 Cove1 Grade  
Balustrade (Unit ID 251).



Balustrade by  
STONE LEGENDS



# Balustrade - Jefferson




| Type Description | Primary View                | View Modifiers      | Sumame           | Unit ID | Cost Factor/Lf | Weight/Lf |
|------------------|-----------------------------|---------------------|------------------|---------|----------------|-----------|
| Balustrade       | Grade                       |                     | <b>Jefferson</b> |         |                |           |
|                  |                             | X Z Y               |                  |         |                |           |
|                  | Jefferson1 Connelly1 Cove1  | 32 1/8" 10 1/2" 12" |                  | 251     | 3250           | 137       |
| Type Description | Primary View                | View Modifiers      | Sumame           | Unit ID | Cost Factor/Lf | Weight/Lf |
| Stair            | Straight                    |                     | <b>Jefferson</b> |         |                |           |
|                  |                             | X Z Y               |                  |         |                |           |
|                  | Jefferson1A Connelly1 Cove1 | 32 1/8" 10 1/2" 12" |                  | 9742    | 4250           | 167       |
| Type Description | Primary View                | View Modifiers      | Sumame           | Unit ID | Cost Factor/Ea | Weight/Ea |
| NewelPier        | Standard                    |                     | <b>Carriage</b>  |         |                |           |
|                  |                             | X Z Y               |                  |         |                |           |
|                  | Carriage1 Connelly1 Cove1   | 12" 12" 37 1/8"     |                  | 9251    | 12500          | 435       |
| Type Description | Primary View                | View Modifiers      | Sumame           | Unit ID | Cost Factor/Ea | Weight/Ea |
| NewelPier        | Pass-Thru                   |                     | <b>Carriage</b>  |         |                |           |
|                  |                             | X Z Y               |                  |         |                |           |
|                  | Carriage1A Connelly1 Cove1  | 12" 12" 32 1/8"     |                  | 9249    | 13650          | 390       |
| Type Description | Primary View                | View Modifiers      | Sumame           | Unit ID | Cost Factor/Ea | Weight/Ea |
| NewelPier        | Standard                    | 45 Degree           | <b>Carriage</b>  |         |                |           |
|                  |                             | X Z Y               |                  |         |                |           |
|                  | Carriage1 Connelly1 Cove1   | 12" 12" 37 1/8"     |                  | 9725    | 16250          | 761       |

301 Pleasant Drive • Dallas, TX 75217  
 (800) 398-1199 • FAX (214) 398-1293  
 www.stonelegends.com•sales@stonelegends.com

# STONE LEGENDS






Balustrade like the Kinnard1  
Connelly1 Cove1 Grade Balustrade  
(Unit ID 249) make great accents no  
matter the installation.

Balustrade by  
**STONE LEGENDS**



# Balustrade - Kinnard




| Type Description | Primary View               | View Modifiers  | Surname  | Unit ID | Cost Factor/Lf | Weight/Lf |
|------------------|----------------------------|---|----------|---------|----------------|-----------|
| Balustrade       | Grade                      | X Z Y   | Kinnard  |         |                |           |
|                  | Kinnard1 Connolly1 Cove1   | 42 <sup>3</sup> / <sub>8</sub> " 10 <sup>1</sup> / <sub>2</sub> " 12" |          | 249     | 3750           | 160       |
| Type Description | Primary View               | View Modifiers  | Surname  | Unit ID | Cost Factor/Lf | Weight/Lf |
| Stair            | Straight                   | X Z Y   | Kinnard  |         |                |           |
|                  | Kinnard1A Connolly1 Cove1  | 42 <sup>3</sup> / <sub>8</sub> " 10 <sup>1</sup> / <sub>2</sub> " 12" |          | 9737    | 4750           | 190       |
| Type Description | Primary View               | View Modifiers  | Surname  | Unit ID | Cost Factor/Ea | Weight/Ea |
| NewelPier        | Standard                   | X Z Y   | Carriage |         |                |           |
|                  | Carriage1C Connolly1 Cove1 | 12" 12" 47 <sup>5</sup> / <sub>8</sub> "                              |          | 1383    | 15000          | 545       |
| Type Description | Primary View               | View Modifiers  | Surname  | Unit ID | Cost Factor/Ea | Weight/Ea |
| NewelPier        | Pass-Thru                  | X Z Y   | Carriage |         |                |           |
|                  | Kinnard Carriage           | 12" 12" 42 <sup>3</sup> / <sub>8</sub> "                              |          | 9247    | 18050          | 495       |
| Type Description | Primary View               | View Modifiers  | Surname  | Unit ID | Cost Factor/Ea | Weight/Ea |
| NewelPier        | Standard                   | 45 Degree X Z Y   | Carriage |         |                |           |
|                  | Carriage1C Connolly1 Cove1 | 12" 12" 47 <sup>5</sup> / <sub>8</sub> "                              |          | 9726    | 19500          | 954       |

301 Pleasant Drive • Dallas, TX 75217  
 (800) 398-1199 • FAX (214) 398-1293  
 www.stonelegends.com • sales@stonelegends.com

## STONE LEGENDS

The Noble1a Binelli2 Verona2 Straight Stairs (Unit ID 9739), shown here with the Caprice1 Binelli2 Verona2 Newel (Unit ID 704) are designed to work with standard grade balustrade systems allowing you even more design options.



Shown with Caprice1 Binelli1 Verona2 Newel

Unit ID 704



Noble1 Binelli2 Verona2 Grade Balustrade

Unit ID 247

Balustrade by  
**STONE LEGENDS**




# Balustrade - Noble / Florentine

| Type Description | Primary View            | View Modifiers |    | Surname |         |                |           |
|------------------|-------------------------|----------------|----|---------|---------|----------------|-----------|
| Balustrade       | Grade                   | X              | Z  | Y       | Unit ID | Cost Factor/Lf | Weight/Lf |
|                  | Noble1 Binelli2 Verona2 | 36"            | 9" | 12"     | 247     | 3950           | 155       |

| Type Description | Primary View             | View Modifiers |    | Surname |         |                |           |
|------------------|--------------------------|----------------|----|---------|---------|----------------|-----------|
| Stair            | Straight                 | X              | Z  | Y       | Unit ID | Cost Factor/Lf | Weight/Lf |
|                  | Noble1A Binelli2 Verona2 | 38"            | 9" | 12"     | 9739    | 4950           | 185       |

| Type Description                          | Primary View              | View Modifiers |     | Surname                          |         |                |           |
|---|---------------------------|----------------|-----|----------------------------------|---------|----------------|-----------|
| Newel Pier                                | Standard                  | X              | Z   | Y                                | Unit ID | Cost Factor/Ea | Weight/Ea |
|   | Caprice1 Binelli1 Verona2 | 12"            | 12" | 44 <sup>3</sup> / <sub>4</sub> " | 704     | 15000          | 490       |
| <i>Pass-Thru newel cap not available.</i> |                           |                |     |                                  |         |                |           |

| Type Description | Primary View              | View Modifiers |     | Surname                          |         |                |           |
|------------------|---------------------------|----------------|-----|----------------------------------|---------|----------------|-----------|
| Newel Pier       | Standard                  | X              | Z   | Y                                | Unit ID | Cost Factor/Ea | Weight/Ea |
|                  | Caprice1 Binelli1 Verona2 | 12"            | 12" | 44 <sup>3</sup> / <sub>4</sub> " | 9729    | 19500          | 858       |



| Type Description | Primary View                 | View Modifiers                   |    | Surname |         |                |           |
|------------------|------------------------------|----------------------------------|----|---------|---------|----------------|-----------|
| Balustrade       | Grade                        | X                                | Z  | Y       | Unit ID | Cost Factor/Lf | Weight/Lf |
|                  | Florentine1 Binelli1 Verona1 | 38 <sup>7</sup> / <sub>8</sub> " | 9" | 12"     | 253     | 6250           | 190       |

| Type Description | Primary View                  | View Modifiers                   |    | Surname |         |                |           |
|------------------|-------------------------------|----------------------------------|----|---------|---------|----------------|-----------|
| Stair            | Straight                      | X                                | Z  | Y       | Unit ID | Cost Factor/Lf | Weight/Lf |
|                  | Florentine1A Binelli1 Verona1 | 38 <sup>7</sup> / <sub>8</sub> " | 9" | 12"     | 9741    | 7250           | 220       |

| Type Description                          | Primary View               | View Modifiers |     | Surname                          |         |                |           |
|---|----------------------------|----------------|-----|----------------------------------|---------|----------------|-----------|
| Newel Pier                                | Standard                   | X              | Z   | Y                                | Unit ID | Cost Factor/Ea | Weight/Ea |
|   | Caprice1A Binelli1 Verona1 | 12"            | 12" | 47 <sup>1</sup> / <sub>8</sub> " | 9250    | 15000          | 525       |
| <i>Pass-Thru newel cap not available.</i> |                            |                |     |                                  |         |                |           |

| Type Description | Primary View               | View Modifiers |     | Surname                          |         |                |           |
|------------------|----------------------------|----------------|-----|----------------------------------|---------|----------------|-----------|
| Newel Pier       | Standard                   | X              | Z   | Y                                | Unit ID | Cost Factor/Ea | Weight/Ea |
|                  | Caprice1A Binelli1 Verona1 | 12"            | 12" | 47 <sup>1</sup> / <sub>8</sub> " | 9732    | 19500          | 919       |

301 Pleasant Drive • Dallas, TX 75217  
 (800) 398-1199 • FAX (214) 398-1293  
 www.stonelegends.com • sales@stonelegends.com


# STONE LEGENDS




Oakley1 Ogle1 Chamfer 3 Grade Balustrade Unit ID 13735




Carriage1A  
Ogle1 Chamfer3 Unit ID16555



Grade Balustrade



Straight Stair Balustrade



Newel Pier

The Stone Legends product line is continuously expanding. Speak to your sales representative about our newer styles of balustrade. Your choices are always growing at Stone Legends.



Belleville1 Extrados1 Chamfer1  
Grade Balustrade Unit ID 14742



Carriage1  
Extrados1 Chamfer1 Unit ID1380

Balustrade by  
**STONE LEGENDS**



# Balustrade - Oakley / Belleville

| Type Description | Primary View           | View Modifiers     | Surname       | Unit ID | Cost Factor/Lf | Weight/Lf |
|------------------|------------------------|--------------------|---------------|---------|----------------|-----------|
| Balustrade       | Grade                  |                    | <b>Oakley</b> |         |                |           |
|                  |                        | X Z Y              |               |         |                |           |
|                  | Oakley1 Ogle3 Chamfer3 | 35 1/4" 8 7/8" 12" |               | 13735   | 3416           | 119       |

| Type Description | Primary View            | View Modifiers | Surname       | Unit ID | Cost Factor/Lf | Weight/Lf |
|------------------|-------------------------|----------------|---------------|---------|----------------|-----------|
| Balustrade       | Straight                |                | <b>Oakley</b> |         |                |           |
|                  |                         | X Z Y          |               |         |                |           |
|                  | Oakley1A Ogle3 Chamfer3 | 36" 8 7/8" 12" |               | 16554   | 4416           | 149       |

| Type Description | Primary View              | View Modifiers  | Surname         | Unit ID | Cost Factor/Ea | Weight/Ea |
|------------------|---------------------------|-----------------|-----------------|---------|----------------|-----------|
| Newel Pier       | Standard                  |                 | <b>Carriage</b> |         |                |           |
|                  |                           | X Z Y           |                 |         |                |           |
|                  | Carriage1A Ogle1 Chamfer3 | 12" 12" 40 1/4" |                 | 16555   | 12500          | 450       |

| Type Description | Primary View              | View Modifiers  | Surname         | Unit ID | Cost Factor/Ea | Weight/Ea |
|------------------|---------------------------|-----------------|-----------------|---------|----------------|-----------|
| Newel Pier       | Pass-Thru                 |                 | <b>Carriage</b> |         |                |           |
|                  |                           | X Z Y           |                 |         |                |           |
|                  | Carriage1E Ogle1 Chamfer3 | 12" 12" 35 1/4" |                 | 16556   | 13750          | 395       |

| Type Description | Primary View              | View Modifiers  | Surname         | Unit ID | Cost Factor/Ea | Weight/Ea |
|------------------|---------------------------|-----------------|-----------------|---------|----------------|-----------|
| Newel Pier       | Standard                  | 45 Degree       | <b>Carriage</b> |         |                |           |
|                  |                           | X Z Y           |                 |         |                |           |
|                  | Carriage1A Ogle1 Chamfer3 | 12" 12" 40 1/4" |                 | 16557   | 16250          | 831       |

| Type Description | Primary View                   | View Modifiers     | Surname           | Unit ID | Cost Factor/Lf | Weight/Lf |
|------------------|--------------------------------|--------------------|-------------------|---------|----------------|-----------|
| Balustrade       | Grade                          |                    | <b>Belleville</b> |         |                |           |
|                  |                                | X Z Y              |                   |         |                |           |
|                  | Belleville1 Extrados1 Chamfer1 | 32 5/8" 9 1/2" 12" |                   | 14742   | 3515           | 148       |

| Type Description | Primary View                    | View Modifiers | Surname           | Unit ID | Cost Factor/Lf | Weight/Lf |
|------------------|---------------------------------|----------------|-------------------|---------|----------------|-----------|
| Balustrade       | Straight                        |                | <b>Belleville</b> |         |                |           |
|                  |                                 | X Z Y          |                   |         |                |           |
|                  | Belleville1A Extrados1 Chamfer1 | 36" 9 1/2" 12" |                   | 16561   | 4100           | 155       |


| Type Description | Primary View                 | View Modifiers  | Surname         | Unit ID | Cost Factor/Ea | Weight/Ea |
|------------------|------------------------------|-----------------|-----------------|---------|----------------|-----------|
| Newel Pier       | Standard                     |                 | <b>Carriage</b> |         |                |           |
|                  |                              | X Z Y           |                 |         |                |           |
|                  | Carriage1 Extrados1 Chamfer1 | 12" 12" 37 1/8" |                 | 1380    | 12500          | 435       |

| Type Description | Primary View                  | View Modifiers  | Surname         | Unit ID | Cost Factor/Ea | Weight/Ea |
|------------------|-------------------------------|-----------------|-----------------|---------|----------------|-----------|
| Newel Pier       | Pass-Thru                     |                 | <b>Carriage</b> |         |                |           |
|                  |                               | X Z Y           |                 |         |                |           |
|                  | Carriage1B Extrados1 Chamfer1 | 12" 12" 32 1/8" |                 | 9243    | 13450          | 390       |

| Type Description | Primary View                 | View Modifiers  | Surname         | Unit ID | Cost Factor/Ea | Weight/Ea |
|------------------|------------------------------|-----------------|-----------------|---------|----------------|-----------|
| Newel Pier       | Standard                     | 45 Degree       | <b>Carriage</b> |         |                |           |
|                  |                              | X Z Y           |                 |         |                |           |
|                  | Carriage1 Extrados1 Chamfer1 | 12" 12" 37 1/8" |                 | 9723    | 16250          | 728       |

301 Pleasant Drive • Dallas, TX 75217  
 (800) 398-1199 • FAX (214) 398-1293  
 www.stonelegends.com • sales@stonelegends.com

# STONE LEGENDS



Screening, like the Tally1  
Binelli2 Cove2 Screening (Unit  
ID 1379), makes a great  
alternative to standard  
balustrade systems.

Balustrade by  
STONE LEGENDS




# Balustrade - Tally



Tally1 Binelli2 Cove2

Unit ID 1379



shown with Caprice Binelli1 Cove1 Newel Pier

Unit ID 9252

Tally Screening uses two panels. Unfinished surfaces will not be visible once installed.





| Type Description | Primary View                       | View Modifiers     | Surname | Unit ID | Cost Factor/Lf | Weight/Lf |
|------------------|------------------------------------|--------------------|---------|---------|----------------|-----------|
| Balustrade       | Screening                          | X Z Y              | Tally   |         |                |           |
|                  | Tally1 Binelli2 Cove2              | 32 1/8" 8 1/2" 12" |         | 1379    | 5500           | 175       |
| Type Description | Primary View                       | View Modifiers     | Surname | Unit ID | Cost Factor/Ea | Weight/Ea |
| Newel Pier       | Standard                           | X Z Y              | Caprice |         |                |           |
|                  | Caprice1B Binelli1 Cove2           | 12" 12" 40 7/16"   |         | 9252    | 15000          | 475       |
|                  | Pass-Thru newel cap not available. |                    |         |         |                |           |
| Type Description | Primary View                       | View Modifiers     | Surname | Unit ID | Cost Factor/Ea | Weight/Ea |
| Newel Pier       | Standard                           | 45 Degree          | Caprice |         |                |           |
|                  | Caprice1B Binelli1 Cove2           | 12" 12" 40 7/16"   |         | 16562   | 19500          | 857       |
|                  | Pass-Thru newel cap not available. |                    |         |         |                |           |

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

# STONE LEGENDS

# Balustrade - Waverly



**Note:**  
Waverley Almeria uses a single panel. Unfinished surfaces will be visible once installed.  
Acid washing of the unfinished side to make it resemble the finished side is recommended.

| Type Description | Primary View | View Modifiers |        | Surname |         |                |           |
|------------------|--------------|----------------|--------|---------|---------|----------------|-----------|
| Balustrade       | Screening    | X              | Z      | Y       | Unit ID | Cost Factor/Lf | Weight/Lf |
| Waverley Almeria |              | 32 1/8"        | 6 1/2" | 12"     | 7       | 5500           | 125       |

| Type Description | Primary View | View Modifiers |     | Surname |         |                |           |
|------------------|--------------|----------------|-----|---------|---------|----------------|-----------|
| Newel Pier       | Pass-Thru    | X              | Z   | Y       | Unit ID | Cost Factor/Lf | Weight/Lf |
| Waverley Almeria |              | 12"            | 12" | 32 1/4" | 1378    | 12500          | 385       |

**STONE LEGENDS**


301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)



# Balustrade - Quatro


Quatro1 Binelli1 Chamfer1

Unit ID 15658



Shown with Caprice1C Standard Newel Pier

Unit ID 15444



Quatro Screening uses two panels. Unfinished surfaces will not be visible once installed.

| Type Description          | Primary View                     | View Modifiers                   | Surname | Unit ID | Cost Factor/Lf | Weight/Lf |
|---------------------------|----------------------------------|----------------------------------|---------|---------|----------------|-----------|
| Balustrade                | Screening                        | X Z Y                            | Quatro  | 15658   | 5643           | 185       |
| Quatro1 Binelli1 Chamfer1 | 38 <sup>1</sup> / <sub>8</sub> " | 11 <sup>3</sup> / <sub>4</sub> " | 12"     |         |                |           |

| Type Description            | Primary View | View Modifiers | Surname                            | Unit ID | Cost Factor/Ea | Weight/Ea |
|-----------------------------|--------------|----------------|------------------------------------|---------|----------------|-----------|
| Newel Pier                  | Standard     | X Z Y          | Caprice                            | 15444   | 15000          | 479       |
| Caprice1C Binelli1 Chamfer1 | 12"          | 12"            | 43 <sup>13</sup> / <sub>16</sub> " |         |                |           |

| Type Description            | Primary View | View Modifiers  | Surname                            | Unit ID | Cost Factor/Ea | Weight/Ea |
|-----------------------------|--------------|-----------------|------------------------------------|---------|----------------|-----------|
| Newel Pier                  | Standard     | 45 Degree X Z Y | Caprice                            | 16565   | 19500          | 858       |
| Caprice1C Binelli1 Chamfer1 | 12"          | 12"             | 43 <sup>13</sup> / <sub>16</sub> " |         |                |           |

301 Pleasant Drive • Dallas, TX 75217  
 (800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)

# STONE LEGENDS

The Morpheus Contempo Grade Screen (Unit ID 16566), shown here with the Morpheus Contempo Newel (Unit ID 16567), is a modern design with unlimited options in mind.

*Morpheus Contempo Horizontal Installation*




*Morpheus Contempo Newel Pier (left)  
Morpheus Contempo Newel Pier (right)*

*Unit ID 16567  
Unit ID 16569*

Balustrade by  
**STONE LEGENDS**



# Balustrade - Morpheus



Morpheus Contempo design ideas.

Morpheus Contempo Rectangular Ornament



Unit ID 16572

Morpheus Contempo Spacer Square



Unit ID 16573

Morpheus Contempo Square Ornament



Unit ID 16571

Morpheus Contempo Filler Bar



Unit ID 16574

Optional vertical installation



Morpheus Contempo Newel Pier (left) Unit ID 16568  
Morpheus Contempo Newel Pier (right) Unit ID 16570

Morpheus Contempo Horizontal Installation



Morpheus Contempo Newel Pier (left) Unit ID 16567  
Morpheus Contempo Newel Pier (right) Unit ID 16569

Type Description  
Balustrade

Primary View  
Screening

View Modifiers

Surname  
Morpheus

|                   | X   | Z  | Y   | Unit ID | Cost Factor/Lf | Weight/Lf |
|-------------------|-----|----|-----|---------|----------------|-----------|
| Morpheus Contempo | 34" | 8" | 12" | 16566   | 5737           | 155       |

Height with standard horizontal installation. Optional Vertical installation is 35<sup>7</sup>/<sub>16</sub>" tall.  
Use of optional ornaments and filler bar will change overall height also.

Type Description  
Newel Pier

Primary View  
Standard

View Modifiers

Surname  
Morpheus

|                    | X   | Z   | Y   | Unit ID | Cost Factor/Ea | Weight/Ea |
|--------------------|-----|-----|-----|---------|----------------|-----------|
| Morpheus Contempo  | 12" | 12" | 42" | 16567   | 17500          | 480       |
| Morpheus Contempo* | 12" | 12" | 45" | 16568   | 19500          | 501       |
| Morpheus Contempo  | 8"  | 8"  | 42" | 16569   | 16250          | 453       |
| Morpheus Contempo* | 8"  | 8"  | 45" | 16570   | 18750          | 475       |

\*Newels are taller to go with the optional vertical installation of the balustrade.

Type Description  
Balustrade

Primary View  
Screening

View Modifiers

Surname  
Morpheus

|                      | X                                | Z                               | Y                                  | Unit ID | Cost Factor/Ea | Weight/Ea |
|----------------------|----------------------------------|---------------------------------|------------------------------------|---------|----------------|-----------|
| MorpheusSquare       | 3 <sup>5</sup> / <sub>8</sub> "  | 3"                              | 3 <sup>5</sup> / <sub>8</sub> "    | 16571   | 450            | 3         |
| MorpheusRectangle    | 3 <sup>5</sup> / <sub>8</sub> "  | 3"                              | 10 <sup>1</sup> / <sub>4</sub> "   | 16572   | 1200           | 8         |
| MorpheusSpacerSquare | 5 <sup>1</sup> / <sub>4</sub> "  | 2 <sup>1</sup> / <sub>4</sub> " | 5 <sup>1</sup> / <sub>4</sub> "    | 16573   | 505            | 5         |
| MorpheusFillerBar    | 10 <sup>1</sup> / <sub>4</sub> " | 3"                              | 17 <sup>13</sup> / <sub>16</sub> " | 16574   | 989            | 20        |

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

# STONE LEGENDS






The Otterwood1A Extrados1 Chamfer1  
helical stair (Unit ID 182) is the perfect  
size for any home.

Balustrade by

**STONE LEGENDS**



# Balustrade - Helical Stair



Type Description  
Stair

Primary View  
Helical

View Modifiers  
Finished End

Sumame  
**Otterwood**

|                                 | R (Radius)                         | B (Rise)                         | Unit ID | Cost Factor/Ea | Weight/Ea |
|---------------------------------|------------------------------------|----------------------------------|---------|----------------|-----------|
| Otterwood2A Extrados1 Chamfer1  | 83"                                | 16 <sup>3</sup> / <sub>4</sub> " | 14179   | 142650         | 2812      |
| Otterwood1A Extrados1 Chamfer1* | 77 <sup>15</sup> / <sub>16</sub> " | 17 <sup>3</sup> / <sub>4</sub> " | 182     | 80000          | 3150      |
| Otterwood2A Extrados1 Chamfer1  | 48"                                | 18"                              | 14250   | 97650          | 3190      |
| Otterwood2A Extrados1 Chamfer1  | 52 <sup>1</sup> / <sub>2</sub> "   | 24"                              | 16126   | 111020         | 1875      |
| Otterwood2A Extrados1 Chamfer1  | 80"                                | 28 <sup>5</sup> / <sub>8</sub> " | 9242    | 116500         | 2031      |
| Otterwood2A Extrados1 Chamfer1  | 109"                               | 30"                              | 322     | 130500         | 2160      |
| Otterwood2A Extrados1 Chamfer1  | 48"                                | 52"                              | 14675   | 152460         | 2816      |
| Otterwood2A Extrados1**         | 112 <sup>3</sup> / <sub>4</sub> "  | 66"                              | 9239    | 166000         | 3438      |
| Otterwood2A Extrados1 Chamfer1  | 33 <sup>1</sup> / <sub>2</sub> "   | 96"                              | 176     | 252750         | 5400      |

\*Unit includes treads and risers.

\*\*Base rail not included.

Type Description  
Stair

Primary View  
Helical

View Modifiers  
Newel Pier

Sumame  
**Otterwood**

|                                  | R (Radius)                        | B (Rise)                           | Unit ID | Cost Factor/Ea | Weight/Ea |
|----------------------------------|-----------------------------------|------------------------------------|---------|----------------|-----------|
| Otterwood2A Extrados1 Chamfer1   | 90"                               | 18"                                | 16588   | 109000         | 2085      |
| Otterwood2A Extrados1 Chamfer1   | 35 <sup>1</sup> / <sub>2</sub> "  | 19"                                | 15259   | 192400         | 3218      |
| Otterwood2A Extrados1 Chamfer1   | 48"                               | 27"                                | 834     | 136000         | 2775      |
| Otterwood2A Extrados1 Chamfer1** | 46 <sup>3</sup> / <sub>4</sub> "  | 28"                                | 14163   | 89450          | 2202      |
| Otterwood2A Extrados1 Chamfer1*  | 78 <sup>1</sup> / <sub>4</sub> "  | 28"                                | 15477   | 211170         | 3886      |
| Otterwood2A Extrados1 Chamfer1   | 69 <sup>1</sup> / <sub>2</sub> "  | 28 <sup>3</sup> / <sub>8</sub> "   | 15260   | 240100         | 4658      |
| Otterwood2A Extrados1 Chamfer1   | 30"                               | 30 <sup>3</sup> / <sub>4</sub> "   | 15478   | 147000         | 3087      |
| Otterwood2A Extrados1 Chamfer1   | 79 <sup>1</sup> / <sub>2</sub> "  | 31"                                | 9240    | 155000         | 3100      |
| Otterwood2A Extrados1 Chamfer1   | 190"                              | 32 <sup>5</sup> / <sub>8</sub> "   | 16505   | 198800         | 4578      |
| Otterwood2A Extrados1 Chamfer1   | 56"                               | 35"                                | 540     | 187100         | 2924      |
| Otterwood2A Extrados1 Chamfer1   | 94 <sup>1</sup> / <sub>2</sub> "  | 36"                                | 9238    | 167650         | 4190      |
| Otterwood2A Extrados1 Chamfer1   | 97 <sup>1</sup> / <sub>4</sub> "  | 36"                                | 14199   | 132050         | 3290      |
| Otterwood2A Extrados1 Chamfer1   | 374 <sup>5</sup> / <sub>8</sub> " | 42"                                | 16553   | 170750         | 3170      |
| Otterwood2A Extrados1 Chamfer1   | 112 <sup>3</sup> / <sub>4</sub> " | 48"                                | 9241    | 220000         | 2052      |
| Otterwood2A Extrados1 Chamfer1   | 187 <sup>1</sup> / <sub>4</sub> " | 49"                                | 16577   | 139475         | 3588      |
| Otterwood2A Extrados1 Chamfer1*  | 243 <sup>3</sup> / <sub>4</sub> " | 63 <sup>15</sup> / <sub>16</sub> " | 15487   | 314273         | 7648      |


\*Unit includes treads and risers.

\*\*Base rail not included.

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com•sales@stonelegends.com

## STONE LEGENDS






The Otterwood2A Extradots1  
Cove1 (Unit ID 14166) is a larger  
design to accommodate a larger  
rise in elevation.

Balustrade by

**STONE LEGENDS**



# Balustrade - Helical Stair



Type Description  
Stair

Primary View  
Helical

View Modifiers  
Newel Pier

Surname  
**Otterwood**

|                             | R (Radius)                       | B (Rise)                          | Unit ID | Cost Factor/Ea | Weight/Ea |
|-----------------------------|----------------------------------|-----------------------------------|---------|----------------|-----------|
| Otterwood2A Extrados1 Cove1 | 68 <sup>1</sup> / <sub>4</sub> " | 17 <sup>5</sup> / <sub>16</sub> " | 15475   | 120800         | 4290      |
| Otterwood2A Extrados1 Cove1 | 43 <sup>1</sup> / <sub>2</sub> " | 20 <sup>1</sup> / <sub>4</sub> "  | 74      | 180000         | 3110      |
| Otterwood2A Extrados1 Cove1 | 76 <sup>1</sup> / <sub>2</sub> " | 39 <sup>3</sup> / <sub>4</sub> "  | 321     | 196500         | 4189      |
| Otterwood2A Extrados1 Cove1 | 76 <sup>3</sup> / <sub>4</sub> " | 53"                               | 14166   | 136328         | 3955      |

Type Description  
Stair

Primary View  
Helical

View Modifiers  
Newel Pier

Surname  
**Otterwood**

|                               | R (Radius) | B (Rise) | Unit ID | Cost Factor/Ea | Weight/Ea |
|-------------------------------|------------|----------|---------|----------------|-----------|
| Otterwood2A Extrados1 Verona1 | 108"       | 60"      | 14178   | 206968         | 5270      |

Type Description  
Stair

Primary View  
Helical

View Modifiers  
Newel Pier

Surname  
**Florentine**

|                               | R (Radius) | B (Rise) | Unit ID | Cost Factor/Ea | Weight/Ea |
|-------------------------------|------------|----------|---------|----------------|-----------|
| Florentine1A Binelli1 Verona1 | 60"        | 21"      | 16124   | 131250         | 2280      |

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com•sales@stonelegends.com

# STONE LEGENDS





The Jefferson1A Connelly1 Cove1 (Unit ID 14196), shown here with Bullnose Steps (Unit ID 12975), was definately the right choice for this home design. The visual effect is an incredible sight.

Balustrade by  
**STONE LEGENDS**



# Balustrade - Helical Stair

Type Description  
Stair

Primary View  
Helical

View Modifiers  
Newel Pier

Surname  
**Jefferson**

|             |                    | R (Radius)                        | B (Rise)                          | Unit ID | Cost Factor/Ea | Weight/Ea |
|-------------|--------------------|-----------------------------------|-----------------------------------|---------|----------------|-----------|
| Jefferson1A | Connelly1 Chamfer1 | 76 <sup>3</sup> / <sub>4</sub> "  | 19 <sup>1</sup> / <sub>8</sub> "  | 14195   | 108789         | 1872      |
| Jefferson1A | Connelly1 Cove1    | 484 <sup>3</sup> / <sub>4</sub> " | 137 <sup>1</sup> / <sub>4</sub> " | 14196   | 377125         | 9968      |

Type Description  
Stair

Primary View  
Helical

View Modifiers  
Newel Pier

Surname  
**Kendal**

|          |                 | R (Radius)                        | B (Rise) | Unit ID | Cost Factor/Ea | Weight/Ea |
|----------|-----------------|-----------------------------------|----------|---------|----------------|-----------|
| Kendal1A | Connelly1 Cove1 | 55 <sup>5</sup> / <sub>16</sub> " | 28"      | 14663   | 139450         | 2927      |
| Kendal1A | Connelly1 Cove1 | 66"                               | 32"      | 14266   | 140886         | 2978      |



*Kendal balusters  
Unit ID 9190*

Type Description  
Stair

Primary View  
Helical

View Modifiers  
Newel Pier


Surname  
**Kinnard**

|           |           | R (Radius) | B (Rise)                         | Unit ID | Cost Factor/Ea | Weight/Ea |
|-----------|-----------|------------|----------------------------------|---------|----------------|-----------|
| Kinnard1A | Connelly1 | 96"        | 19 <sup>1</sup> / <sub>2</sub> " | 15486   | 96938          | 1988      |

*Base rail not included.*




*Kinnard1 baluster  
Unit ID 9189*



301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com


# STONE LEGENDS

# Steps Legend



The Sun Temple (dedicated to the Sun God) of Modhera is one of the finest examples of Indian temple architecture, built in 1026 A.D. The entire structure is aligned to the east, towards the rising sun. Kama Kunda, the water tank, meant for ritualistic ablution before offering worship, is one of the most perfectly designed structures of its kind in the country. A regular well-patterned lateral formation of stone steps descends up to the bottom of the tank. The geometrical configuration of steps allows a direct or diagonal descent from all the four sides.

## Organization Guide



Listed below are available catalog options as shown in this chapter. Refer to page 6 for a complete list of available TypeDescriptions, PrimaryViews and Modifiers.

| Product Groups | Type Descriptions | Primary Views                         | Modifiers                                  |
|----------------|-------------------|---------------------------------------|--|
| Steps          | Steps             | Straight<br>Radius<br>Treads<br>Riser | Bracket<br>Radius<br>Riser<br>SpecialShape |

## Pricing Legend

Step costs are calculated based on an **Linear Foot Basis**.




Refer to the **Stone Legends Pricing Legend**, located as an insert at the back of the catalog, for more information on calculating stone costs for catalog units.

# STONE LEGENDS

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)



# Steps Legend



Steps usually consist of a tread and a riser sized to accommodate the pitch of the stairs. Steps are priced by the linear foot (including tread and riser) for a maximum rise of 8" and run of 14" (12" steps).

Common tread thicknesses are 2", 2 $\frac{1}{4}$ " and 2 $\frac{1}{2}$ ". Risers are typically 2" thick. Riser height depends on the rise of the step. Variations include the riser behind the tread, the riser on top of the tread and no riser at all.


Typically treads are plain bullnose, as shown, but a few different profiles are shown and custom is always an option.

Additional run depth, spiral or curved steps are custom-designed and must be priced separately. Send your layouts and sections for quotes.

Tread brackets are available to finish open end tread designs.

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com•sales@stonelegends.com

## STONE LEGENDS



*Brackets make a nice finishing touch to open treads. Shown are custom Bolson Brackets for a spiral stair.*

Steps by

**STONE LEGENDS**




Type Description  
Steps

Primary View  
Straight

View Modifiers

Surname  
**Bullnose**



|                    | X      | Z   | Y   | XX     | ZZ      | Unit ID | Cost | Factor/Lf | Weight/Lf |
|--------------------|--------|-----|-----|--------|---------|---------|------|-----------|-----------|
| Bullnose1 Flatface | 2"     | 14" | 12" | 1 3/4" | 13 1/8" | 720     | 770  |           | 45        |
| Bullnose2 Flatface | 2 1/4" | 14" | 12" | 2"     | 13"     | 463     | 770  |           | 45        |
| Bullnose3 Flatface | 2 1/2" | 14" | 12" | 2"     | 13"     | 478     | 770  |           | 45        |


Includes 2" thick risers up to 8" tall . Depth or "Z" shown is maximum. Can be less.

Type Description  
Steps

Primary View  
Straight


View Modifiers

Surname  
**Bolson**



|                  | X      | Z       | Y   | XX     | ZZ      | Unit ID | Cost | Factor/Lf | Weight/Lf |
|------------------|--------|---------|-----|--------|---------|---------|------|-----------|-----------|
| Bolson2 Flatface | 2 1/8" | 13 1/8" | 12" | 1 1/2" | 12 1/2" | 16597   | 713  |           | 40        |
| Bolson3 Flatface | 4 1/2" | 13 1/2" | 12" | 3"     | 11"     | 16598   | 897  |           | 68        |
| Bolson1 Flatface | 3 3/4" | 19 1/8" | 12" | 2 1/4" | 17"     | 16595   | 1047 |           | 83        |

Includes 2" thick risers up to 8" tall.




Type Description  
Steps

Primary View  
Straight

View Modifiers

Surname  
**Bullwark**



|                    | X      | Z       | Y   | XX     | ZZ      | Unit ID | Cost | Factor/Lf | Weight/Lf |
|--------------------|--------|---------|-----|--------|---------|---------|------|-----------|-----------|
| Bullwark1 Flatface | 2 1/2" | 11 5/8" | 12" | 2"     | 10 5/8" | 14348   | 861  |           | 39        |
| Bullwark3 Flatface | 2"     | 12"     | 12" | 1 3/4" | 11 1/8" | 16596   | 787  |           | 36        |
| Bullwark2 Flatface | 2 1/2" | 35"     | 12" | 2"     | 34"     | 14349   | 1218 |           | 91        |

Includes 2" thick risers up to 7" tall with radius to match rounded corners.

## Tread Brackets

Type Description  
Steps

Primary View  
Straight

View Modifiers  
Bracket

Surname  
**Revel**



|       | X      | Z      | Y       | ZZ | Unit ID | Cost | Factor/Ea | Weight/Ea |
|-------|--------|--------|---------|----|---------|------|-----------|-----------|
| Revel | 6 3/8" | 4 1/2" | 10 5/8" | 4" | 14997   | 1875 |           | 21        |

Type Description  
Steps

Primary View  
Straight

View Modifiers  
Bracket

Surname  
**Recurve**



|          | X  | Z  | Y      | ZZ     | Unit ID | Cost | Factor/Ea | Weight/Ea |
|----------|----|----|--------|--------|---------|------|-----------|-----------|
| Recurve1 | 5" | 2" | 7 3/4" | 1 1/4" | 15663   | 615  |           | 6         |
| Recurve2 | 5" | 2" | 9 3/4" | 1 1/4" | 15665   | 715  |           | 8         |

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

# STONE LEGENDS



Do  
It  
The  
Easy  
Way!

Our Stone Experts can help you to make the perfect design decisions.

Send us your plans for a complete cost estimate.

Send Us  
Your Plans!

In return you will get a line item bid crossed-referenced to a graphic representation

**STONE LEGENDS**

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
[www.stonelegends.com](http://www.stonelegends.com) • [sales@stonelegends.com](mailto:sales@stonelegends.com)



## Organization Guide

|         |                   |
|---------|-------------------|
| ■ ■ ■ ■ | Type Description  |
| ■ ■ ■   | Primary View      |
| ■ ■     | Surname / Profile |
| ■       | Dimension         |

Listed below are available catalog options as shown in this chapter. Refer to page 6 for a complete list of available TypeDescriptions, PrimaryViews and Modifiers.

| Product Groups | Type Descriptions | Primary Views   | Modifiers          |
|----------------|-------------------|---|--------------------|
| Pavers         | Pavers            | Circular<br>Elliptical<br>FlatFace<br>Octagonal<br>PictureFrame<br>Quatrefoil<br>Radius<br>Rectangular<br>SpecialShape<br>Pattern<br>Random<br>Square | Circular<br>Square |

## Pricing Legend

Paver costs are calculated based on an **Each Unit Basis**.

Refer to the **Stone Legends Pricing Legend**, located as an insert at the back of the catalog, for more information on calculating stone costs for catalog units.




The history of the Japanese garden dates back thousands of years to the very origins of the Japanese people who depended on the land for sustenance. A reverence for everything in nature developed. Trees, rocks, hillsides, the sun, the rain, etc. were each assigned a god or kami which had to be enticed to earth in order to bring good fortune. Everything is thought out and placed very carefully.

301 Pleasant Drive • Dallas, TX 75217  
 (800) 398-1199 • FAX (214) 398-1293  
 www.stonelegends.com • sales@stonelegends.com

# STONE LEGENDS

Pavers like the Diamond Colors Pavers (Unit ID 431), shown here with custom color accent tiles, are the perfect compliment to your cast stone units. Finish out your project with beautiful cast stone pavers.



Pavers by  
**STONE LEGENDS**



## Type Description Pavers

## Primary View Square

## View Modifiers

## Surname Flatface



|              | X                               | Z                                | Y                                | Unit ID | Cost | Factor/Ea | Weight/Ea |
|--------------|---------------------------------|----------------------------------|----------------------------------|---------|------|-----------|-----------|
| ● Flatface10 | 2"                              | 7 <sup>5</sup> / <sub>8</sub> "  | 7 <sup>5</sup> / <sub>8</sub> "  | 16599   |      | 335       | 10        |
| Flatface8    | 2 <sup>1</sup> / <sub>4</sub> " | 11 <sup>5</sup> / <sub>8</sub> " | 11 <sup>5</sup> / <sub>8</sub> " | 498     |      | 350       | 24        |
| Flatface1    | 2"                              | 12"                              | 12"                              | 12976   |      | 350       | 22        |
| Flatface2    | 2 <sup>1</sup> / <sub>2</sub> " | 12"                              | 12"                              | 13932   |      | 360       | 27        |
| Flatface9    | 2"                              | 14"                              | 14"                              | 14362   |      | 392       | 31        |
| ● Flatface7  | 2"                              | 15 <sup>5</sup> / <sub>8</sub> " | 15 <sup>5</sup> / <sub>8</sub> " | 460     |      | 489       | 37        |
| Flatface5    | 2"                              | 18"                              | 18"                              | 462     |      | 648       | 51        |
| Flatface6    | 2 <sup>1</sup> / <sub>2</sub> " | 18"                              | 18"                              | 917     |      | 810       | 64        |
| Flatface3    | 2"                              | 24"                              | 24"                              | 13935   |      | 1152      | 91        |
| Flatface4    | 2 <sup>1</sup> / <sub>2</sub> " | 24"                              | 24"                              | 16600   |      | 1436      | 108       |
| Flatface11   | 4"                              | 35 <sup>5</sup> / <sub>8</sub> " | 35 <sup>5</sup> / <sub>8</sub> " | 461     |      | 5078      | 401       |
| Flatface12   | 2"                              | 36"                              | 36"                              | 529     |      | 2592      | 195       |


(●) Indicates pavers which size matches the Random Paver Unit. Unit ID 474.

## Type Description Pavers

## Primary View Rectangular

## View Modifiers

## Surname Flatface Paver



|             | X                               | Z                                | Y                                | Unit ID | Cost | Factor/Ea | Weight/Ea |
|-------------|---------------------------------|----------------------------------|----------------------------------|---------|------|-----------|-----------|
| Flatface1   | 2"                              | 6"                               | 12"                              | 13190   |      | 350       | 11        |
| Flatface2   | 2 <sup>1</sup> / <sub>2</sub> " | 6"                               | 12"                              | 13195   |      | 350       | 14        |
| ● Flatface7 | 2"                              | 7 <sup>5</sup> / <sub>8</sub> "  | 15 <sup>5</sup> / <sub>8</sub> " | 16601   |      | 350       | 18        |
| Flatface3   | 2"                              | 12"                              | 18"                              | 13196   |      | 539       | 32        |
| Flatface4   | 2 <sup>1</sup> / <sub>2</sub> " | 12"                              | 18"                              | 13197   |      | 541       | 41        |
| ● Flatface8 | 2"                              | 15 <sup>5</sup> / <sub>8</sub> " | 23 <sup>5</sup> / <sub>8</sub> " | 16602   |      | 738       | 58        |
| Flatface5   | 2"                              | 12"                              | 24"                              | 13198   |      | 718       | 43        |
| Flatface6   | 2 <sup>1</sup> / <sub>2</sub> " | 12"                              | 24"                              | 13199   |      | 720       | 54        |


(●) Indicates pavers which size matches the Random Paver Unit. Unit ID 474.

## Type Description Pavers

## Primary View

## View Modifiers

## Surname Random




|        | X  | Z   | Y   | Unit ID | Cost | Factor/Ea | Weight/Ea |
|--------|----|-----|-----|---------|------|-----------|-----------|
| Random | 2" | 32" | 32" | 474     |      | 2560      | 154       |

### Each Random Paver Unit contains:

- (1) 23<sup>5</sup>/<sub>8</sub>" x 15<sup>5</sup>/<sub>8</sub>" paver,
  - (1) 15<sup>5</sup>/<sub>8</sub>" x 15<sup>5</sup>/<sub>8</sub>" paver,
  - (2) 15<sup>5</sup>/<sub>8</sub>" x 7<sup>5</sup>/<sub>8</sub>" pavers, and
  - (2) 7<sup>5</sup>/<sub>8</sub>" x 7<sup>5</sup>/<sub>8</sub>" pavers.
- Unit ID 474.

Random Pavers can be installed in any random pattern desired. Additional single Paver Units can be ordered on opposite page.

(●) Indicates matching Paver Units.



Diamond Colors installation pattern option  
Unit ID 431

This option requires additional plain paver squares

## Type Description Pavers

## Primary View

## View Modifiers


## Surname Diamond Colors

|                | X  | Z                                | Y                                | Unit ID | Cost | Factor/Ea | Weight/Ea |
|----------------|----|----------------------------------|----------------------------------|---------|------|-----------|-----------|
| Diamond Colors | 2" | 47 <sup>5</sup> / <sub>8</sub> " | 47 <sup>5</sup> / <sub>8</sub> " | 431     |      | 4497      | 355       |

Five pavers per unit. Pavers supplied in choice of any single standard color.  
Second standard color or custom color estimated on request.

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com•sales@stonelegends.com

# STONE LEGENDS



When seeking a different look and style for your project, keep our new paver units in mind.

The Honeycomb1 (Unit ID 16603), is a basic design that fits any environment.


Add a little more of an elegant feel with our Octagem Paver (Unit ID 16605), shown here with a two color installation.

For that special location that needs a unique look, our Barbell1 (Unit ID 16607) is a perfect choice.


Pavers by

**STONE LEGENDS**





Additional Paver Squares may be required to fill boundary edges, see below.  
Unit ID 16606.




Type Description  
Pavers

Primary View  
Special Shape

View Modifiers

Surname  
Honeycomb

|            | X  | Z                                | Y                                | YY                                | Unit ID | Cost Factor/Dozen | Weight/Dozen |
|------------|----|----------------------------------|----------------------------------|-----------------------------------|---------|-------------------|--------------|
| HoneyComb1 | 2" | 7 <sup>5</sup> / <sub>8</sub> "  | 7 <sup>5</sup> / <sub>8</sub> "  | 8 <sup>13</sup> / <sub>16</sub> " | 16603   | 1212              | 94           |
| HoneyComb2 | 2" | 11 <sup>5</sup> / <sub>8</sub> " | 11 <sup>5</sup> / <sub>8</sub> " | 13 <sup>7</sup> / <sub>16</sub> " | 16604   | 2640              | 201          |



Type Description  
Pavers

Primary View  
Special Shape

View Modifiers

Surname  
Octagem


|                   | X  | Z                                | Y                                | YY                               | Unit ID | Cost Factor/Ea | Weight/Ea |
|-------------------|----|----------------------------------|----------------------------------|----------------------------------|---------|----------------|-----------|
| Octagem1 Flatface | 2" | 11 <sup>5</sup> / <sub>8</sub> " | 11 <sup>5</sup> / <sub>8</sub> " | 16 <sup>5</sup> / <sub>8</sub> " | 16605   | 387            | 26        |

Type Description  
Pavers



Primary View  
Square

View Modifiers

Surname  
Flatface



|                    | X  | Z                               | Y                               | Unit ID | Cost Factor/Dozen | Weight/Dozen |
|--------------------|----|---------------------------------|---------------------------------|---------|-------------------|--------------|
| OctagemFillerPaver | 2" | 4 <sup>5</sup> / <sub>8</sub> " | 4 <sup>5</sup> / <sub>8</sub> " | 16606   | 600               | 47           |



Type Description  
Pavers

Primary View  
Special Shape

View Modifiers

Surname  
Barbell

|          | X  | Z                                | Y                                 | Unit ID | Cost Factor/Dozen | Weight/Dozen |
|----------|----|----------------------------------|-----------------------------------|---------|-------------------|--------------|
| Barbell1 | 2" | 7 <sup>5</sup> / <sub>8</sub> "  | 10 <sup>9</sup> / <sub>16</sub> " | 16607   | 1920              | 152          |
| Barbell2 | 2" | 11 <sup>5</sup> / <sub>8</sub> " | 18 <sup>9</sup> / <sub>16</sub> " | 16608   | 3840              | 268          |

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com•sales@stonelegends.com

STONE LEGENDS

# Pool Coping Legend



Stone has been used for over 2000 years ago, first by the Romans. Beautiful enhancements for your home inside and out. Today there is a vast array of cast stone that can add a sophisticated element to your home. With it's ease of maintenance it makes a smart choice for any type of decorative flooring.

## Organization Guide

|   |   |   |   |                   |
|---|---|---|---|-------------------|
| ■ | ■ | ■ | ■ | Type Description  |
| ■ | ■ | ■ | ■ | Primary View      |
| ■ | ■ | ■ | ■ | Surname / Profile |
| ■ | ■ | ■ | ■ | Dimension         |

Listed below are available catalog options as shown in this chapter. Refer to page 6 for a complete list of available TypeDescriptions, PrimaryViews and Modifiers.

| Product Groups | Type Descriptions | Primary Views  | Modifiers              |
|----------------|-------------------|--|------------------------|
| Pool Coping    | Pool Coping       | Circular<br>SpecialShape<br>Quatrefoil<br>Octagonal<br>Rectangular<br>Radius | Art<br>Banding<br>Flat |

## Pricing Legend

Pool Coping costs are calculated based on **Linear Foot Basis**.

Refer to the **Stone Legends Pricing Legend**, located as an insert at the back of the catalog, for more information on calculating stone costs for catalog units.

Pool coping around swimming pools and fountains uses many of the same profiles as stairs treads and wall coping of section 8. However many more profiles can be successfully used as pool or fountain coping. For complete estimate on your pool, send us your drawings.

# STONE LEGENDS

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com



# Pool Coping

**Bullnose Oval 1** Unit ID 14595

*Shown with Custom Inside Turn and Custom Radius.*



**Bullnose Pool Coping 3**  
*Shown with Custom Color*

Unit ID 14337



*Chapter 11 - Profiles  
- The DNA of Stone  
contains many more  
shape options that  
can be used for Pool  
Coping.*


Type Description  
Profile

Primary View

View Modifiers

Surname

**Bullfrog**



|                  | X      | Z       | Y   | XX     | ZZ      | P | Unit ID | Cost | Factor/Lf | Weight/Lf |
|------------------|--------|---------|-----|--------|---------|---|---------|------|-----------|-----------|
| <b>Bullfrog1</b> | 3 1/8" | 13 5/8" | 12" | 2 5/8" | 12 1/4" | - | 10369   | 512  | 35        |           |
| <b>Bullfrog2</b> | 4"     | 13 1/4" | 12" | 2 3/4" | 12"     | - | 16383   | 636  | 46        |           |
| <b>Bullfrog3</b> | 4"     | 15 1/2" | 12" | 2 1/2" | 14 1/4" | - | 14730   | 744  | 53        |           |


Type Description  
Profile

Primary View

View Modifiers

Surname

**Bullnose**



|                  | X      | Z       | Y   | XX     | ZZ  | P   | Unit ID | Cost | Factor/Lf | Weight/Lf |
|------------------|--------|---------|-----|--------|-----|-----|---------|------|-----------|-----------|
| <b>Bullnose1</b> | 2 1/2" | 14"     | 12" | 2"     | 13" | 13" | 476     | 420  | 31        |           |
| <b>Bullnose2</b> | 2 1/2" | 18"     | 12" | 2"     | 17" | 17" | 586     | 540  | 41        |           |
| <b>Bullnose3</b> | 3"     | 21 1/4" | 12" | 2 1/2" | 20" | 20" | 14337   | 765  | 58        |           |


Type Description  
Profile

Primary View

View Modifiers

Surname


**Connelly**



|                  | X      | Z   | Y   | XX | ZZ        | P | Unit ID | Cost | Factor/Lf | Weight/Lf |
|------------------|--------|-----|-----|----|-----------|---|---------|------|-----------|-----------|
| <b>Connelly3</b> | 2 1/2" | 14" | 12" | 2" | 12 13/16" | - | 17732   | 500  | 31        |           |

301 Pleasant Drive • Dallas, TX 75217  
(800) 398-1199 • FAX (214) 398-1293  
www.stonelegends.com • sales@stonelegends.com

**STONE LEGENDS**



**Relax!**

**Only in nature will you  
find beauty that is virtually  
maintenance free.**

Contact Stone Origins  
today for all of your  
natural cut stone needs.

Full color catalog available.

888-398-1299  
[www.stoneorigins.com](http://www.stoneorigins.com)

Stone Origins

**Pool Coping & Pavers  
in Natural Cut Stone**